

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

www.panblast.nt-rt.ru | | pav@nt-rt.ru

Технические характеристики на пескоструйные камеры объемные КОМПАНИИ **PanBlast**



BB120S-2/AU Electric Blast Pot



Product Features

The BB120S-2 ERC4-1 is a skid mounted, electrically controlled, multiple outlet bulk blast pot suitable for on-site crew operations.

- ▶ Designed and manufactured in accordance with international standards and requirements.
- ▶ Third party pressure vessel certificates available on request.
- ▶ Tandem Valve for fast and efficient operation.
- ▶ AirStop II non-bleed type electric deadman handle.
- ▶ PanBlast™ Corsa II abrasive control valve, for precise control and immediate shut off.
- ▶ Optional abrasive cut off for compressed air blow down.
- ▶ Four (4) blasting outlets standard fitment.
- ▶ Butterfly type loading valve with pneumatic locking device.
- ▶ 76 mm (3") Moisture Separator.
- ▶ 3360 litres (120 ft³) abrasive capacity, 120 psi pressure rating.

Common Applications

- ▶ Multiple-operator, on site industrial and commercial blasting.
- ▶ Large Blast room applications with and without abrasive recovery systems.
- ▶ In situ blasting in shipyards and slipways.

Complementary Products



Blast Hoses



Titan II SAR



Couplings & Nozzle Holders



Whip Check Cables



ATN Blast Nozzles





VisiFlo Premium Airline Filter



Electric Remote Conversion Kit



Blasting Suit & Gloves





- 1 Fail-Safe Abrasive Filling Closure
- 2 Fast Discharge Exhaust Air Dump Pipe Assembly
- 3 Four Outlet Air Distribution Manifold
- 4 Main Air Inlet Ball Valve
- 5 High Efficiency Moisture Separator Assembly
- 6 Four Operator Electric Remote Control System
- 7 Site Crane Lifting Points
- 8 Transportation Skid
- 9 Heavy Duty Electric Remote Control Cables with Connectors
- 10 4 x AirStop II Electric Remote Control Handles
- 11 Forklift Pockets
- 12 4 x Corsa II Automatic Type Abrasive Metering Valves
- 13 Full Flow Pusher Line Choke Valves & Plumbing
- 14 4 x Tandem Remote Control Air Valve Assemblies
- 15 Dual Safety Topside Inspection Ladders
- 16 Large Volume Abrasive Media Pressure Vessel
- 17 Large Capacity Abrasive Media Filling Port

Component Highlights




- 1 Fail-Safe Abrasive Filling Closure
- 2 Fast Discharge Exhaust Air Dump Pipe Assembly
- 3 Four Outlet Air Distribution Manifold
- 4 Main Air Inlet Ball Valve
- 5 High Efficiency Moisture Separator Assembly
- 6 Four Operator Electric Remote Control System
- 7 Site Crane Lifting Points
- 8 Transportation Skid
- 9 Heavy Duty Electric Remote Control Cables with Connectors
- 10 4 x AirStop II Electric Remote Control Handles
- 11 Forklift Pockets
- 12 4 x Corsa II Automatic Type Abrasive Metering Valves
- 13 Full Flow Pusher Line Choke Valves & Plumbing
- 14 4 x Tandem Remote Control Air Valve Assemblies
- 15 Dual Safety Topside Inspection Ladders
- 16 Large Volume Abrasive Media Pressure Vessel
- 17 Large Capacity Abrasive Media Filling Port



Assembly

| Stock Code | Description | Outlet | Abrasive Capacity | Piping Size |
|----------------|--|--------|------------------------------------|----------------|
| BEP-PE-PB-0001 | BB120S-2/AU Corsa II ERC4-1 AirStop II | 4 | 3360 litres (120 ft ³) | 32 mm (1-1/4") |



Parts List



| Description | Qty | Description | Qty | Description | Qty |
|--|-----|--------------------------------------|-----|--|-----|
| 1 38 mm (1-1/2") Ball Valve | 9 | 4 Mini Ball Valve | 4 | 7 76.2 mm (3") Port Moisture Separator | 1 |
| 2 Corsa II 1-1/4" with Urethane Sleeve | 4 | 5 AirStop II Electric Control Handle | 4 | | |
| 3 NTC-1 Nylon Threaded Pot Coupling | 4 | 6 1-1/4" Tandem NPT Valve Assembly | 4 | | |



BB120S-2/AU Pneumatic Blast Pot



Product Features

The BB120S-2 Pneu4-1 is a skid mounted, pneumatically controlled, multiple outlet bulk blast pot suitable for on-site crew operations.

- ▶ Designed and manufactured in accordance with international standards and requirements.
- ▶ Third party pressure vessel certificates available on request.
- ▶ Tandem Valve for fast and efficient operation.
- ▶ AirStop II non-bleed type pneumatic deadman handle.
- ▶ PanBlast™ Corsa II abrasive control valve, for precise control and immediate shut off.
- ▶ Optional abrasive cut off for compressed air blow down.
- ▶ Four (4) blasting outlets standard fitment.
- ▶ Butterfly type loading valve with pneumatic locking device.
- ▶ 76 mm (3") Moisture Separator.
- ▶ 3360 litres (120 ft³) abrasive capacity, 120 psi pressure rating.

Common Applications

- ▶ Multiple-operator, on site industrial and commercial blasting.
- ▶ Large Blast room applications with and without abrasive recovery systems.
- ▶ In situ blasting in shipyards and slipways.

Complementary Products



Blast Hoses



Titan II SAR



Couplings & Nozzle Holders



Whip Check Cables



ATN Blast Nozzles




VisiFlo Premium Airline Filter



Electric Remote Conversion Kit





Blasting Suit & Gloves



Component Highlights




- | | | |
|---|--|---|
| 1 Large Capacity Abrasive Media Filling Port | 7 4 x Corsa II Automatic Type Abrasive Metering Valves | 13 High Efficiency Moisture Separator Assembly |
| 2 Fail-Safe Abrasive Filling Closure | 8 Forklift Pockets | 14 Full Flow Pusher Line Choke Valves & Plumbing |
| 3 Large Volume Abrasive Media Pressure Vessel | 9 Transportation Skid | 15 Main Air Inlet Ball Valve |
| 4 Dual Safety Topside Inspection Ladders | 10 4 x AirStop II Pneumatic Remote Control Handles | 16 4 x Tandem Remote Control Air Valve Assemblies |
| 5 Fast Discharge Exhaust Air Dump Pipe Assembly | 11 Color Coded 20 m (66') Twin Line Control Hoses | 17 Live Air Connection Points |
| 6 Corsa II Abrasive Media Isolation Valves | 12 Site Crane Lifting Points | 18 Four Outlet Air Distribution Manifold |



Assembly

| Stock Code | Description | Outlet | Abrasive Capacity | Piping Size |
|----------------|---|--------|------------------------------------|----------------|
| BEP-PE-PB-0002 | BB120S-2/AU Corsa II Pneu4-1 AirStop II | 4 | 3360 litres (120 ft ³) | 32 mm (1-1/4") |



Parts List



| Description | Qty | Description | Qty | Description | Qty |
|--|-----|---|-----|--|-----|
| 1 38 mm (1-1/2") Ball Valve | 9 | 4 Mini Ball Valve | 4 | 7 1-1/4" Tandem NPT Valve Assembly | 4 |
| 2 Corsa II 1-1/4" with Urethane Sleeve | 4 | 5 AirStop II NPT Pneumatic Control Handle | 4 | 8 76.2 mm (3") Port Moisture Separator | 1 |
| 3 NTC-1 Nylon Threaded Pot Coupling | 4 | 6 20 m (66') Twinline Hose Assembly | 4 | | |



BB120T-2/AU Pneumatic Blast Pot



Product Features

The BB120T-2 Pneu4-1 is a tandem yard trailer mounted, pneumatically controlled, multiple outlet bulk blast pot suitable for on-site crew operations.

- ▶ Designed and manufactured in accordance with international standards and requirements.
- ▶ Third party pressure vessel certificates available on request.
- ▶ Tandem Valve for fast and efficient operation.
- ▶ AirStop II non-bleed type pneumatic deadman handle.
- ▶ PanBlast™ Corsa II abrasive control valve, for precise control and immediate shut off.
- ▶ Optional abrasive cut off for compressed air blow down.
- ▶ Four (4) blasting outlets standard fitment.
- ▶ Butterfly type loading valve with pneumatic locking device.
- ▶ 76 mm (3") Moisture Separator.
- ▶ 3360 litres (120ft³) abrasive capacity, 120 psi pressure rating.

Common Applications

- ▶ Multiple-operator, on site industrial and commercial blasting.
- ▶ Large Blast room applications with and without abrasive recovery systems.
- ▶ In situ blasting in shipyards and slipways.

Complementary Products



Blast Hoses



Titan II SAR



Couplings & Nozzle Holders



Whip Check Cables



ATN Blast Nozzles





VisiFlo Premium Airline Filter



Electric Remote Conversion Kit





Blasting Suit & Gloves



Component Highlights




- | | | |
|---|---|---|
| 1 Large Capacity Abrasive Media Filling Port | 7 4 x Corsa II Automatic Abrasive Metering Valves | 13 Live Air Connection Points |
| 2 Large Volume Abrasive Media Pressure Vessel | 8 4 x AirStop II Pneumatic Remote Control Handles | 14 4 x Tandem Remote Control Air Valve Assemblies |
| 3 Dual Safety Topside Inspection Ladders | 9 Color Coded 20 m (66') Twin Line Control Hoses | 15 Four Outlet Air Distribution Manifold |
| 4 Fast Discharge Exhaust Air Dump Pipe Assembly | 10 High Efficiency Moisture Separator Assembly | 16 Fail-Safe Abrasive Filling Closure |
| 5 Portable Work Site Towable Trailer | 11 Full Flow Pusher Line Choke Valve & Plumbing | |
| 6 Dual Axle – All Terrain Wheel Assembly | 12 Main Air Inlet Ball Valve | |



Assembly

| Stock Code | Description | Outlet | Abrasive Capacity | Piping Size |
|----------------|---|--------|------------------------------------|----------------|
| BEP-PE-PB-0003 | BB120T-2/AU Corsa II Pneu4-1 AirStop II | 4 | 3360 litres (120 ft ³) | 32 mm (1-1/4") |



Parts List



| Description | Qty | Description | Qty | Description | Qty |
|--|-----|---|-----|--|-----|
| 1 38 mm (1-1/2") Ball Valve | 9 | 4 Mini Ball Valve | 4 | 7 1-1/4" Tandem NPT Valve Assembly | 4 |
| 2 Corsa II 1-1/4" with Urethane Sleeve | 4 | 5 AirStop II NPT Pneumatic Control Handle | 4 | 8 76.2 mm (3") Port Moisture Separator | 1 |
| 3 NTC-1 Nylon Threaded Pot Coupling | 4 | 6 20 m (66') Twinline Hose Assembly | 4 | | |



BB120T-2/AU Electric Blast Pot



Product Features

The BB120T-2 ERC4-1 is a tandem yard trailer mounted, electrically controlled, multiple outlet bulk blast pot suitable for on-site crew operations.

- ▶ Designed and manufactured in accordance with international standards and requirements.
- ▶ Third party pressure vessel certificates available on request.
- ▶ Tandem Valve for fast and efficient operation.
- ▶ AirStop II non-bleed type electric deadman handle.
- ▶ PanBlast™ Corsa II abrasive control valve, for precise control and immediate shut off.
- ▶ Optional abrasive cut off for compressed air blow down.
- ▶ Four (4) blasting outlets standard fitment.
- ▶ Butterfly type loading valve with pneumatic locking device.
- ▶ 76 mm (3") Moisture Separator.
- ▶ 3360 litres (120 ft³) abrasive capacity, 120 psi pressure rating.

Common Applications

- ▶ Multiple-operator, on site industrial and commercial blasting.
- ▶ Large Blast room applications with and without abrasive recovery systems.
- ▶ In situ blasting in shipyards and slipways.

Complementary Products



Blast Hoses



Titan II SAR



Couplings & Nozzle Holders



Whip Check Cables



ATN Blast Nozzles





VisiFlo Premium Airline Filter



Electric Remote Conversion Kit




Blasting Suit & Gloves



Component Highlights




- 1 Site Crane Lifting Lugs
- 2 Top Side Safety Access Ladder
- 3 High Volume Air Dump Exhaust Line
- 4 Large Capacity Inlet Moisture Separator
- 5 Main Air Inlet Ball Valve
- 6 Yard and Site Transportation Trailer
- 7 Four Operator ERC-4 Electric Remote Control System
- 8 Abrasive Resistant Electric Remote Control Cables
- 9 Four Independent AirStop II Electric Remote Control Handles
- 10 Four Independent Operator Corsa II Automatic Abrasive Metering Valves
- 11 Four Independent Operator Tandem Air Remote Valves
- 12 Large 3360 litres (120 ft³) Abrasive Media Storage Capacity
- 13 Wide Throat Media Filling Port
- 14 Fail-Safe Abrasive Filling Closure



Assembly

| Stock Code | Description | Outlet | Abrasive Capacity | Piping Size |
|----------------|--|--------|------------------------------------|----------------|
| BEP-PE-PB-0004 | BB120T-2/AU Corsa II ERC4-1 AirStop II | 4 | 3360 litres (120 ft ³) | 32 mm (1-1/4") |



Parts List



| Description | Qty | Description | Qty | Description | Qty |
|--|-----|-------------------------------------|-----|--|-----|
| 1 38 mm (1-1/2") Ball Valve | 9 | 4 Mini Ball Valve | 4 | 7 76.2 mm (3") Port Moisture Separator | 1 |
| 2 Corsa II 1-1/4" with Urethane Sleeve | 4 | 5 AirStopII Electric Control Handle | 4 | | |
| 3 NTC-1 Nylon Threaded Pot Coupling | 4 | 6 1-1/4" Tandem NPT Valve Assembly | 4 | | |

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

www.panblast.nt-rt.ru | | pav@nt-rt.ru